



# SUMITOMO CHEMICAL

## SAFETY DATA SHEET

### Sumitomo Samurai Systemic Insecticide

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

#### SECTION 1: Identification: Product identifier and chemical identity

##### Product identifier

**Product name** Sumitomo Samurai Systemic Insecticide

##### Relevant identified uses of the substance or mixture and uses advised against

**Application** Insecticide

**Uses advised against** No specific uses advised against are identified.

##### Details of the supplier of the safety data sheet

**Supplier** www.sumitomo-chem.com.au  
Sumitomo Chemical Australia Pty Ltd  
Level 5, 51 Rawson Street,  
EPPING, NSW 2121  
(02) 8752 9000  
(02) 8752 9099  
Reception@sumitomo-chem.com.au

##### Emergency telephone number

**Emergency telephone** 1800 024 973 (Australia) 0800 243 6225 (New Zealand)

#### SECTION 2: Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Carc. 1B - H350 STOT RE 1 - H372

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

##### Label elements

##### Pictogram



##### Signal word

Danger

##### Hazard statements

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## Sumitomo Samurai Systemic Insecticide

|  |  |
|--|--|
| <b>Precautionary statements</b>  | P201 Obtain special instructions before use.                                       |
|  | P202 Do not handle until all safety precautions have been read and understood.     |
|  | P260 Do not breathe dust.  |
|  | P264 Wash contaminated skin thoroughly after handling.                             |
|  | P270 Do not eat, drink or smoke when using this product.                           |
|  | P273 Avoid release to the environment.   |
|  | P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. |
|  | P308+P313 IF exposed or concerned: Get medical advice/ attention.                  |
|  | P314 Get medical advice/ attention if you feel unwell.                             |
|  | P391 Collect spillage.   |
| P405 Store locked up.  |  |
| P501 Dispose of contents/ container in accordance with national regulations. |  |

**Contains** clothianidin (ISO), Diatomaceous Earth

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition and information on ingredients

#### Mixtures

|  |               |
|--|---------------|
| <b>clothianidin (ISO)</b><br>CAS number: 210880-92-5                 | <b>50.0%</b>  |
| <b>Diatomaceous Earth</b><br>CAS number: 68855-54-9                  | <b>30-60%</b> |
| <b>Other ingredients deemed not to be hazardous</b><br>CAS number: — | <b>10-30%</b> |

### SECTION 4: First aid measures

#### Description of first aid measures

|   |  |
|---|--|
| <b>General information</b>  | If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given. Show this Safety Data Sheet to a doctor.  |
| <b>Inhalation</b>   | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.   |
| <b>Ingestion</b>  | Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention. |
| <b>Skin Contact</b>   | Rinse with water.  |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if any discomfort continues.   |
| <b>Protection of first aiders</b>   | First aid personnel should wear appropriate protective equipment during any rescue.  |
| <b><u>Most important symptoms and effects, both acute and delayed</u></b> |  |

## Sumitomo Samurai Systemic Insecticide

|                            |  |
|----------------------------|--|
| <b>General information</b> | The severity of the symptoms described will vary dependent on the concentration and the length of exposure.  |
| <b>Inhalation</b>          | Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.  |
| <b>Ingestion</b>           | May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer. |
| <b>Skin contact</b>        | Prolonged contact may cause dryness of the skin. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.                   |
| <b>Eye contact</b>         | No specific symptoms known. May be slightly irritating to eyes.  |

### Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### Extinguishing media

**Suitable extinguishing media**      The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media**      Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

**Specific hazards**                              This product is toxic.

**Hazardous combustion products**      Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

#### Advice for firefighters

**Protective actions during firefighting**      Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters**      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

**Hazchem Code**                                2Z

### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk.

#### Environmental precautions

**Environmental precautions**              Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### Methods and material for containment and cleaning up

## Sumitomo Samurai Systemic Insecticide

### Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

### Reference to other sections

#### Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage, including how the chemical may be safely used

### Precautions for safe handling

#### Usage precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. May cause cancer. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

#### Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

#### Storage class

Toxic storage.

#### Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1

## SECTION 8: Exposure controls and personal protection

### Control parameters

#### Occupational exposure limits

Safework Australia Workplace Exposure Standards:

Quartz = 0.1 mg/m<sup>3</sup>

(TWA)

#### clothianidin (ISO)

National exposure standard

No value assigned for this specific material by Safe Work Australia

### Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

## Sumitomo Samurai Systemic Insecticide

|  |   |
|--|---|
| <b>Eye/face protection</b>             | Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.   |
| <b>Hand protection</b>                 | Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.   |
| <b>Other skin and body protection</b>  | Wear appropriate clothing to prevent any possibility of skin contact.   |
| <b>Hygiene measures</b>                | Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.   |
| <b>Respiratory protection</b>          | Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. |
| <b>Environmental exposure controls</b> | Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.   |

### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

|                     |                            |
|---------------------|----------------------------|
| <b>Appearance</b>   | Granules                   |
| <b>Colour</b>       | Light brown.               |
| <b>Odour</b>        | Odourless.                 |
| <b>pH</b>           | 7.02 (1% aqueous solution) |
| <b>Bulk density</b> | 510 kg/m <sup>3</sup>      |

### SECTION 10: Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | There are no known reactivity hazards associated with this product.  |
| <b>Stability</b>                          | Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.  |
| <b>Possibility of hazardous reactions</b> | No potentially hazardous reactions known.  |
| <b>Conditions to avoid</b>                | There are no known conditions that are likely to result in a hazardous situation.  |
| <b>Materials to avoid</b>                 | No specific material or group of materials is likely to react with the product to produce a hazardous situation.   |
| <b>Hazardous decomposition products</b>   | Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. |

## Sumitomo Samurai Systemic Insecticide

### SECTION 11: Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> >5,000 mg/kg, , Rat

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> >2,000 mg/kg, , Rat

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> = 5.66 mg/l, , Rat, (4 h)

##### Skin corrosion/irritation

**Animal data** Not irritating. (Rabbit)

##### Serious eye damage/irritation

**Serious eye damage/irritation** Slightly irritating. (Rabbit)

##### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

##### Skin sensitisation

**Skin sensitisation** Not sensitising. (Guinea pig)

##### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

##### Carcinogenicity

**Carcinogenicity** May cause cancer.

##### IARC carcinogenicity

None of the ingredients are listed or exempt.

##### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

##### **Reproductive toxicity - development**

Based on available data the classification criteria are not met.

##### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

##### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.

##### Aspiration hazard

**Aspiration hazard** Not relevant. Solid.

##### **General information**

May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

##### **Inhalation**

No specific symptoms known.

##### **Ingestion**

May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.

##### **Skin Contact**

Prolonged contact may cause dryness of the skin.

##### **Eye contact**

No specific symptoms known.

##### **Route of entry**

Ingestion Inhalation Skin and/or eye contact

## Sumitomo Samurai Systemic Insecticide

**Target Organs** No specific target organs known.

### SECTION 12: Ecological Information

|  |   |
|--|---|
| <b>Ecotoxicity</b>                               | Data for active constituent   |
| <b>Toxicity</b>                                  | Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. |
| <b>Acute toxicity - fish</b>                     | LC <sub>50</sub> , 96 hour: >104 mg/l, Onchorhynchus mykiss (Rainbow trout)   |
| <b>Acute toxicity - aquatic invertebrates</b>    | LC <sub>50</sub> , 96 hours = 0.053 mg/l, Mysid shrimp  |
| <b>Acute toxicity - terrestrial</b>              | LC <sub>50</sub> , acute oral = 0.00379 µg/bee, Apis Mellifera (Honeybee)   |
| <b><u>Persistence and degradability</u></b>      |   |
| <b>Persistence and degradability</b>             | The degradability of the product is not known.  |
| <b><u>Bioaccumulative potential</u></b>          |   |
| <b>Bioaccumulative Potential</b>                 | No data available on bioaccumulation.   |
| <b><u>Mobility in soil</u></b>                   |   |
| <b>Mobility</b>                                  | No data available.  |
| <b><u>Results of PBT and vPvB assessment</u></b> |   |
| <b><u>Other adverse effects</u></b>              |   |
| <b>Other adverse effects</b>                     | None known.   |

### SECTION 13: Disposal considerations

#### Waste treatment methods

|                            |  |
|----------------------------|--|
| <b>General information</b> | The generation of waste should be minimised or avoided wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.  |
| <b>Disposal methods</b>    | Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.<br>If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. |

### SECTION 14: Transport information

|  |  |
|--|--|
| <b>General</b>   | Not a dangerous good according to ADG code 7 |
| <b><u>UN number</u></b>  |  |
| 3077   |  |
| <b><u>UN proper shipping name</u></b>  |  |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains 50% clothianidin) |  |

## Sumitomo Samurai Systemic Insecticide

### Transport hazard class(es)

9

### Packing group

III

### Environmental hazards

### Special precautions for user

Hazchem Code                      2Z

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Inventories

##### **Australia - AICS**

The following ingredients are listed:  
Calcined Diatomite

### SECTION 16: Any other relevant information

|                                  |  |
|----------------------------------|--|
| <b>Training advice</b>           | Only trained personnel should use this material.   |
| <b>Revision date</b>             | 14/10/2016   |
| <b>Revision</b>                  | 1  |
| <b>SDS No.</b>                   | 4736   |
| <b>Hazard statements in full</b> | H350 May cause cancer.<br>H372 Causes damage to organs through prolonged or repeated exposure.<br>H400 Very toxic to aquatic life.<br>H410 Very toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.