

Finesse®

SELECTIVE MITICIDE

ACTIVE CONSTITUENT: 110 g/L ETOXAZOLE

GROUP **10B** INSECTICIDE

For the control of Mites in Turf.

GENERAL INSTRUCTIONS

MONITORING

Effective mite control depends upon regular monitoring of turf during the season at 3-5-day intervals.

MIXING

Measure the required amount of Finesse®, add to the partly filled spray tank and then add the remainder of the water.

APPLICATION

Finesse® should be applied in 400 L water to ensure thorough penetration of the thatch and maximum leaf uptake.

RE-ENTRY

DO NOT allow entry into treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

INSECTICIDE RESISTANCE WARNING

GROUP **10B** INSECTICIDE

For insecticide resistance management Finesse® Selective Miticide is a Group 10B miticide.

Some naturally occurring mite biotypes resistant to Finesse® and other Group 10B miticides may exist through normal genetic variability in any mite population. The resistant individuals can eventually dominate the mite population if Finesse® or other Group 10B miticides are used repeatedly. The effectiveness of Finesse® on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of Finesse® to control resistant mites.

Finesse® may be subject to specific resistance strategies. For further information contact your local supplier, Sumitomo Chemical Australia Pty Ltd representative or local department of agriculture agronomist.

To ensure Finesse® remains effective **DO NOT** use Finesse® more than once per season.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. **DO NOT** contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed original container in a well-ventilated area, as cool as possible, although avoid freezing. **DO NOT** store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with the eyes.

When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat and elbow-length chemical resistant gloves.

When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing).

Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126; New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS) obtained from Sumitomo Chemical Australia Pty Ltd.

IMPORTANT NOTICE

These goods are to be used only for the purpose and as specified on the label, and are not suitable for any other purpose. To the fullest extent permitted by law, we do not accept or bear any liability on any basis for any loss, damage, cost or expense, arising in any way, directly or indirectly, in connection with the goods.

APVMA Approval No.: 85723/135170

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111 ALL HOURS - AUSTRALIA WIDE
---	--

DIRECTIONS FOR USE

DO NOT apply if rainfall is expected before spray has dried.

DO NOT apply by air.

DO NOT apply more than one spray per season as over-use may lead to development of mite resistance.

SITUATION	PEST	RATE / ha	CRITICAL COMMENT S
Turf (including golf courses, bowling greens, sports fields, commercial and residential lawn, turf farms)	Couch mite (<i>Aceria cynodoniensis</i>), And other mites affecting turf	200 mL	Apply Finesse® soon after first symptoms appear. As a mite growth regulator, Finesse® is slow acting and will provide best results during the early phase of the infestation. Finesse® can be applied in a multi-spray program with other products with different modes of action but should always be the first spray in the program. Finesse® should be applied in 400 L water to ensure thorough penetration of the thatch and maximum leaf uptake. DO NOT apply Finesse® if rain is imminent.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

NOT REQUIRED WHEN USED AS DIRECTED

DO NOT GRAZE TREATED TURF OR FEED TURF/LAWN CLIPPINGS FROM ANY TREATED AREA TO POULTRY OR LIVESTOCK.