

# MAXX

## ORGANOSILICONE SURFACTANT

ACTIVE CONSTITUENT: 1020 g/L POLYETHER MODIFIED POLYSILOXANE

**A non-ionic wetter/spreader/penetrant for use with ReTain® Plant Growth Regulator and other agricultural pesticides.**

### GENERAL INSTRUCTIONS

Max Organosilicone Surfactant is an organosilicone based surfactant containing a unique blend of various polymers.

Max Organosilicone Surfactant is a highly effective wetter/spreader/penetrant.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

**DO NOT** contaminate streams, rivers or waterways with chemical or used containers.

### STORAGE

Keep out of reach of children. Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

### DISPOSAL

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations.

**DO NOT** burn empty containers or product.

### SAFETY DIRECTIONS

**DO NOT** get on skin or on clothing. Causes eye irritation. **DO NOT** get in eyes. Harmful if swallowed. Avoid breathing vapor or mist. Avoid using product in a manner as to directly, or through drift, expose workers or other persons. Always follow the precautionary statements on the label of the pesticide(s) that are to be used with Maxx Organosilicone Surfactant. Applicators and other handlers must wear goggles or a facial splash shield; chemical resistant gloves, such as nitrile rubber  $\geq 14$  mil or neoprene rubber  $\geq 14$  mil; coveralls or long sleeved shirt and long pants; shoes plus socks and mists filtering respirator. After use

and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash goggles or face shield, gloves and any contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126, New Zealand 0800 764 766. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a Doctor.

### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS).

### IMPORTANT NOTICE

These goods are to be used only for the purpose and as specified on the label, and are not suitable for any other purpose. To the fullest extent permitted by law, we do not accept or bear any liability on any basis for any loss, damage, cost or expense, arising in any way, directly or indirectly, in connection with the goods.

© Sumitomo Chemical Australia Pty Ltd 2023

® Registered Trademark of Valent BioSciences LL.

**THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL**

**In a Transport  
Emergency  
Dial 000  
Police or Fire Brigade**

**SPECIALIST ADVICE  
IN EMERGENCY ONLY ALL  
HOURS - AUSTRALIA WIDE  
1800 033 111**

APVMA Approval No: 54348/0609

Sumitomo Chemical Australia Pty Ltd  
ABN: 21 081 096 255  
51 Rawson Street EPPING NSW 2121  
Phone: (02) 8752 9000

## DIRECTIONS FOR USE – ALL STATES:

SITUATION	RATE (per 100 L spray mixture)	CRITICAL COMMENTS
ReTain <sup>®</sup> Plant Growth Regulator	50 to 100 mL	Refer to ReTain <sup>®</sup> Plant Growth Regulator label for application details.
Fungicides	30 to 60 mL	The use rates of Maxx Organosilicone Surfactant are given as a guide only. Always follow directions of pesticide label where an organosilicone is recommended.  <b>DO NOT</b> use if pesticide manufacturer prohibits surfactants.
Insecticides, Miticides	30 to 60 mL	
Foliar Micro-Nutrients	30 to 60 mL	
Herbicides: General Post Emergent General Low Volume Glyphosate, Metsulfuron on Gorse/Bracken Fern on Brushy/Wood Weeds	50 to 100 mL 100 to 200 mL 200 mL 100 mL Hand gun 200 mL Boom spray	

## NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

While Maxx Organosilicone Surfactant has been proven to be a highly efficient surfactant, timing, weather conditions, method of application, and/or mixture with other chemicals not specifically recommended are beyond the control of the seller. Therefore, the user should carefully observe spray deposits, rate efficiencies, compatibilities and effectiveness in initial applications and adjust the adjuvant rate accordingly.