



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT  
FOR CONTROL OF ORIENTAL FRUIT MOTH IN APRICOTS**

**PERMIT NUMBER - PER13527**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 28 JUNE 2013 TO 30 JUNE 2023.**

**Permit Holder:**

SUMMERFRUIT AUSTRALIA LIMITED  
8/452 Swift Street  
ALBURY NSW 2640

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Product to be used:

SUMITOMO SAMURAI SYSTEMIC INSECTICIDE (APVMA No. 60687)

Containing: 500 g/kg CLOTHIANIDIN as the only active constituent.

### Directions for Use:

Crop	Insect Pest	Rate
Apricot ( <i>Prunus armeniaca</i> )	Oriental fruit moth ( <i>Grapholita molesta</i> )	40 g/100L

### Critical Use Comments:

- Apply once pest monitoring indicates that a generation egg hatch is taking place.
- Apply two consecutive sprays 14 days apart to a generation.
- Further sprays for this generation, or the next should be from a different chemical group.
- SAMURAI should be used as part of a season long control program.
- The addition of MAXX Organosilicone Surfactant at 50 mL/100 L water may improve efficacy. Refer to the Application/Wetting Agent section of the approved label.
- For concentrate spraying refer to the mixing application section of the approved label.

### Withholding Period:

Harvest: DO NOT harvest for 21 DAYS after application.

Grazing: DO NOT graze treated area or cut treated area for stock feed.

### Jurisdiction:

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means that a permit is not required to legalise this off-label use in that state.

### Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

### TO AVOID CROP DAMAGE:

The sensitivity of some species and varieties of crops to be treated under this permit have not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

### INSECTICIDE RESISTANCE WARNING:

Some naturally occurring insect biotypes resistant to Samurai and other Group 4A insecticides may exist through normal genetic variability in any insect population. Refer to the *Insecticide Resistance Warning* on the product label.

### EXPORT OF TREATED PRODUCE:

To allow produce from treated plants to be supplied or otherwise made available for consumption, a Maximum Residue Limit (MRL) of 3mg/kg for clothianidin is established to cover this use in stone fruits. This limit applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should be taken of the residue

definition and residue limits/import tolerances of importing countries. Any residues must not exceed requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: Permit issued as Version 2 on 6 March 2018 to extend expiry date to 30 June 2023 and add non-technical updates to clarify use.