

Safety Data Sheet according to WHS Regulations

Printing date 25.11.2021 Revision: 24.11.2021

1 Identification

Product Name: Ambitious

Other Means of Identification: Mixture

Other Name: 10 g/L Forchlorfenuron, Sumitomo Ambitious, Sumitomo Chemical Australia Ambitious

APVMA Approval Number: 65381

Recommended Use of the Chemical and Restriction on Use: Plant growth regulator.

Details of Manufacturer or Importer:

Grochem Australia Pty Ltd 550 Bourke Street Melbourne, VIC 3000

SUMITOMO CHEMICAL AUSTRALIA PTY LTD

Level 5, 51 Rawson Street Epping, NSW 2121 www.sumitomo-chem.com.au

Phone Number:

1800 777 068 (02) 8752 9000

Emergency telephone number: 1800 127 406 Email: reception@sumitomo-chem.com.au

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flammable Liquids 2 H225 Highly flammable liquid and vapour.



Carcinogenicity 2 H351 Suspected of causing cancer.



Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

according to WHS Regulations

Revision: 24.11.2021 Printing date 25.11.2021

Product Name: Ambitious

Precautionary Statements

(Contd. of page 1)

P201	Optain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

n ٩r [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool. P403+P235

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Comp	Hazardous Components:		
CAS: 64-17-5	Ethanol	♦ Flammable Liquids 2, H225; ♦ Eye Irrit. 2A, H319	50.0%
CAS: 68157-60-8	Forchlorfenuron (ISO)	♦ Carcinogenicity 2, H351; ♦ Aquatic Chronic 2, H411	10.0%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek medical attention immediately.

Symptoms Caused by Exposure:

Inhalation: May cause central nervous system (CNS) depression, nausea, dizziness, and unconsciousness at high levels.

Skin Contact: May cause drying and defatting of the skin, rash, and dermatitis.

Eye Contact: Causes serious eye irritation. May cause lacrimation, pain, and redness.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

(Contd. on page 3)

according to WHS Regulations

Printing date 25.11.2021 Revision: 24.11.2021

Product Name: Ambitious

(Contd. of page 2)

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or foam.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and hydrocarbons.

Product is highly flammable. Vapours from the product may form explosive mixtures with air. Vapours are heavier than air and may travel some distance to an ignition source and flash back.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting measures from entering drains or water courses.

HAZCHEM Code: •2Y

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from oxidising agents, acids, and bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 64-17-5 Ethanol

WES TWA: 1880 mg/m³, 1000 ppm

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards. Use explosion-proof ventilation equipment.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

according to WHS Regulations

Printing date 25.11.2021 Revision: 24.11.2021

Product Name: Ambitious

(Contd. of page 3)

Skin Protection:

Nitrile or neoprene gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing such as coveralls (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid
Colour: Red
Odour: Alcoholic

Odour Threshold: No information available

pH-Value: 7.7

Melting point/freezing point:No information available
Initial Boiling Point/Boiling Range:
No information available

Flash Point: 16 °C

Flammability: Highly flammable

Auto-ignition Temperature: 385 °C

Decomposition Temperature: No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density: 0.895

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

No information available
No information available
No information available
No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials:

Oxidising agents such as hypochlorites, acids such as nitric acid, and bases such as sodium hydroxide.

Hazardous Decomposition Products: Oxides of carbon and hydrocarbons.

(Contd. on page 5)

according to WHS Regulations

Printing date 25.11.2021 Revision: 24.11.2021

Product Name: Ambitious

(Contd. of page 4)

11 Toxicological Information

Toxicity:

LD50/LC50 Values:			
CAS: 64-17-5 Ethanol			
Oral	LD50	7,060 mg/kg (rat)	
Inhalation	LC50/4 h	20,000 mg/l (rat)	

Acute Health Effects

Inhalation:

May cause central nervous system (CNS) depression, nausea, dizziness, and unconsciousness at high levels.

Skin: May cause drying and defatting of the skin, rash, and dermatitis.

Eye: Causes serious eye irritation. May cause lacrimation, pain, and redness.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Suspected of causing cancer.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated exposure may result in cirrhosis of the liver.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for Forchlorfenuron (ISO) for a human is 0.07 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 7 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 64-17-5 Ethanol

EC50/48 h 9,268-14,221 mg/l (daphnia)

>100 mg/l (selenastrum capricornutum)

EC50/72 h 275 mg/l (algae)

(Contd. on page 6)

according to WHS Regulations

Printing date 25.11.2021 Revision: 24.11.2021

Product Name: Ambitious

(Contd. of page 5)

LC50/96 h >100 mg/l (fathead minnow) 12-16 mg/l (rainbow trout) LC50/48 h >100 mg/l (golden orfe)

Persistence and Degradability: Ethanol will quickly decompose in the presence of oxygen.

Bioaccumulative Potential: Ethanol is not expected to bioaccumulate.

Mobility in Soil: Ethanol is highly mobile in water and air.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG, IMDG, IATA UN1170

Proper Shipping Name

ADG, IMDG, IATA ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Dangerous Goods Class

ADG Class: 3

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant:

EMS Number: F-E,S-D

Hazchem Code: •2Y
Special Provisions: 144
Limited Quantities: 1L

Packagings & IBCs - Packing Instruction: P001, IBC02

Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Not a scheduled poison.

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 65381.

(Contd. on page 7)

according to WHS Regulations

Printing date 25.11.2021 Revision: 24.11.2021

Product Name: Ambitious

(Contd. of page 6)

16 Other Information

Date of Preparation or Last Revision: 19.11.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Flammable Liquids 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 2: Carcinogenicity - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Grochem Australia Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.